## Create a copy of an existing vdv entity

- 1. Run the spContextMenuCopy.sql script in Query Analyzer to create the stored procedure
- 2. Create a new view in SQL Server using the existing vdv view as your base
- 3. Save the new view with the same vdv name with \_RKL at the end
- 4. Go into MAS500 Task Editor and create a new task for the vdv

<mark> 2</mark> Task Ed	itor								
Launch Type	.NET Standard 💌	Object ProgID Accounting.Application.BE.Explorer.exe							
Module	Business Insights - Explorer 📃 💌	🔲 System Task							
SQL View	vdvWarehouse_RKL	☐ Create Only One Copy of the Object (Object is Shared)							
Task Type	Data Explorer 💌	Task Flags							
Task ID	10010261	Set Standard Flags							
Constant	kWarehouse_RKL10010261	Manual Load UI (Default: Object Manager will load)							
Name	BE Warehouse_RKL	Manual Display UI (Default: Object Manager will display)							
Description	Warehouse_RKL Data	Run Standalone (Default: Run as child)							
		Always Visible (Default: Object Manager can hide)							
		Don't Allow Run-Time Over Ride of Flags							
Default Permission	<b></b>	Integer Parameter							
String Parameter									
		🗖 Web Enabled 🗖 Client Enabled							
	OK	Cancel							

5. Place it in the Custom Business Insights folder

🚥 MAS 500 Desktop 📃 🗖 🔀							
<u>File E</u> dit <u>Vi</u> ew <u>T</u> asks <u>M</u> y Tasks T <u>o</u> ols							
<u>Window H</u> elp							
🖓 🗄 🍟 Company							
Tasks							
- 🥶 🥘 Information Center							
esources							
💼 🗁 System Manager							
🖻 🛅 Common Information							
😑 🛅 Business Insights							
🗈 🧰 Analyze							
🗈 🛅 Explore							
Inventory_RKL							
E Carrent adam							
Accounts Payable							
E Lasks							
Demonstration  🎦 Default 🎦 admin 🆄 🦼							

- 6. Save your changes to the MAS500 menu
- 7. Launch the context menu utility and find the module name, old entity name, new entity name and a 0 for create or 1 for rollback for the vdv you wish to copy

🤓 Context Menu U	tility							
🖌 📙 🔕 🚍 🏝	0.							
<u>M</u> odule: ]In	ventory Management	*	<u>E</u> ntity:	Warehouses		<u>-</u>	<u> </u>	
	<b>≧</b> .							
	Entity Information		Context Menus	1	2	View Links	1	
Entity Type:	703		Title::	Warehouses			-	
Domain:	Warehouse						÷	
Host SQL View:	vdvWarehouse	•						
Host Table Name:	timWarehouse	1	Allo	w Rename	Number of	User Fields: 0	±	
Natural Keys:	WhselD	27	I Use I Use	• Memos • Extended Comme	nts			

- 8. Create the following query and execute it to create the new vdv settings Exec spContextMenuCopyRKL 'Inventory Management', 'Warehouses', 'Warehouses RKL', 'vdvWarehouse\_RKL',0
- 9. If you are not satisfied with the results, create the following query and execute it to remove the new vdv settings Exec spContextMenuCopyRKL 'Inventory Management', 'Warehouses', 'Warehouses RKL', 'vdvWarehouse\_RKL',1

🔨 SQL Query Analyzer									
Eile Edit Query Iools <u>W</u> indow <u>H</u> elp									
🏠 • 😅 🖬 🗐   X 🖻 🛍 🗹 🛤   ဟ   🗉	□ -   ✔ ▶	🔳 🚺 mas500_a	pp 💌 🛃	y 🔍 😭	<b>.</b>				
Diect Browser  CRH-XP4\SQL2000(RKLCPA\crhorst)  CRH-XP4\SQL2000(RKLCPA\crhorst)  CRH-XP4\SQL2000  CRH-XP4\SQL200  CRH-XP4\SQL200 CRH-XP4\SQL200  CRH-XP4\SQL200	•         •	RH-XP4ISQL2000 ContextMenuCoj 'Warehouses' 'Varehouses' 'VdvWarehouses' 'Stock Status 'Stock Status 'Stock Status 'VdvStockStatus 'UdvStockStatus 'UdvStockStatus 'Stock Status 'Stock S	pp	RKLCPAAcr antory Mar antory Mar antory Mar avKeyOrg	horst - C: Don hagement ', hagement ', StringNoNe 11210005 ataViewKey app 0:00:00 \$500_app 0:00	<pre>w EntityTypy 763 TargetData 2 3 19 98rows Ln 3, 0:00 0rows L</pre>	New X Col 26 In 19, Col 1		
🐮 Objects 🖅 Templates							(e	( (	2
							Connections: 2	NUM	1

- 10. Launch the new explorer window from MAS500 to verify it is working correctly and drilling to the other windows
- 11. Open the new vdv in the context menu utility to verify the links were copied correctly